



NextWindow 2150 - Dimensions

Landscape Orientation



Portrait Orientation



** For extra large screens (special orders), the wiring exit may be centrally located.

NextWindow 2150 Optical Touch Screens are made to fit particular manufacturers' display screens. Some constraints apply in the available dimensions, depending on the aspect ratio.

Touchscreen Sizes

- Maximum standard display size is 67". Custom sizes available to 120".
- Minimum overall width (X) is 510 mm.
- Minimum overall height (Y) is 390 mm.
- Portrait orientation is not available for screen sizes of 30" or less.

The application design should provide an allowance (b) at the top of the screen, where touch sensitivity is limited. Recommended sizes for 'b' are shown below:

Screen size	Recommended b (mm)
Less than 46"	15 to 20
46" to 57"	20 to 25
Greater than 57"	25 to 30

NextWindow 2150 Standard Sizes

Model	X	Y	A	B	b
2150-269	619	386	579	328	18
2150-309	683	463	643	403	20
2150-329	743	459	703	399	20
2150-409	929	562	889	502	20
2150-408	542	954	502	892	22
2150-429	974	592	934	532	20
2150-428	572	999	532	939	20
2150-469	1062	643	1022	579	24
2150-468	618	1078	579	1022	17
2150-479	1090	654	1050	589	25
2150-478	628	1110	588	1050	20

2150-529	1198	719	1158	654	25
2150-528	694	1222	654	1158	24
2150-579	1295	773	1255	708	25
2150-578	751	1325	711	1255	25
2150-659	1475	876	1435	806	30

Model numbers ending in 9 are landscape orientation, and those ending in 8 are portrait orientation.

Recommended Glass Options

Note: NextWindow 2150 Optical Touch Screens can be supplied as a kit without glass, or ready assembled onto glass.

Recommended glass options are as follows:

- 4 mm glass recommended for screens up to 42".
5 mm glass recommended for screens 43" to 46" .
6 mm glass recommended for screens larger than 46".
- Glass types
S Standard
L laminated
T Tempered

Note: NextWindow does not supply tempered glass in thicknesses of 3 mm or less